Hoof Master (Drum)

Section 1. Chemical Product and Company Information

Product Name : Hoof Master
Other means of identification : Not applicable

Recommended Use : Bovine footbath additive

Restrictions on Use : Reserved for industrial and professional use.

Supplier Information : London Dairy Supply Limited

3700 Old Victoria Road London, ON N6N1R2 (519) 644-5150

:

Date of issue : 02/5/2020

EMERGENCY HEALTH INFORMATION: 1 (800) 424-9300 Outside United States and Canada CALL: +1 (703) 741-5500

Section 2. Hazards Identification

GHS Classification

Category

Acute Oral Toxicity: Category 4 Skin Corrosion/Irritation: Category 1A

Serious Eye Damage/Eye Irritation: Category 1

Acute aquatic toxicity: Category 1 Chronic aquatic toxicity: Category 1

GHS Label Element

Hazard pictograms



Signal Word: Danger

Other Hazards

Signal Word

Hazard Statements : Causes severe skin burns and eye damage

Harmful if swallowed.

Very toxic to aquatic life with long lasting effects. Short Term: May be

harmful if inhaled. (based on components)

Long Term: Occupational exposure to strong-inorganic-acid mists

containing sulfuric acid is carcinogenic to humans.

Precautionary Statements :

Hoof Master (Drum)

Prevention: Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Wash hands thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid release to the environment

Response: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower. Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or

doctor/physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Storage: Collect spillage. Store locked up. Store in a well-ventilated place. Keep

container tightly closed.

Disposal: Dispose of contents/container in accordance with all local and national

regulations

Other hazards : None Known

Section 3. Composition / Information on Ingredients

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration (%)
Copper Sulfate, Pentahydrate	7758-99-8	5 – 25
Sulfuric Acid	7664-93-9	5 – 10
Inorganic salt	Proprietary	5 – 25

Section 4. First Aid Measures

In case of eye contact : Flush with water while holding eyelids open for at least 15 minutes. Seek

medical attention immediately.

In case of skin contact : Remove contaminated clothing. Flush area with large amounts of water.

Use soap. Seek medical attention.

If swallowed : In the event of swallowing this material, seek immediate medical

attention, DO NOT INDUCE

VOMITING.

If inhaled : Remove to fresh air and keep patient at rest. Seek medical attention

immediately.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Notes to physician : Treat symptomatically.

Hoof Master (Drum)

See toxicological information (Section 11)

Section 5. Fire-Fighting Measures

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting

Hazardous combustion products

Fire / Explosion Hazards:

Special protective equipment for fire-fighters

Formation of toxic gases is possible during heating or fire. Toxic or corrosive gases including oxides of carbon and oxides of sulfur

Fine particles (such as dust and mists) may fuel fires/explosions.

Use personal protective equipment.

Specific extinguishing methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8. Minimize exposure.

Environmental precautions

Do not allow contact with soil, surface or ground water. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and materials for containment and cleaning up

Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contains material to ensure runoff does not

reach a waterway.

Additional Consideration for Large Spills:

Non-essential personnel should be evacuated from affected area. Report emergency

situations immediately. Clean up operations should only be

situations immediately. Clean up operations should only be undertaken by trained personnel.

Hoof Master (Drum)

Section 7. Handling and Storage

contact with eyes, skin and clothing. When handling, use

appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Releases to the environment should

be avoided. Review and implement appropriate technical and procedural

waste water and waste disposal measures to prevent

occupational exposure or environmental releases. Potential points of

process emissions of this material to the atmosphere

should be controlled with dust collectors, HEPA filtration systems or

other equivalent controls.

Conditions for safe storage Keep out of reach of children. Store in suitable labeled

containers. Store tightly covered away from heat, acids, bases, and

oxidizers. Protect from freezing.

Storage temperature < 50 °C/122 °F

Incompatible Materials: Metals Strong alkalis Reducing agents

Section 8. Exposure Controls / Personal Protection

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Copper Sulfate, Pentahydrate

ACGIH Threshold Limit Value (TWA) 0.2 mg/m3

Finland OEL - TWA 1 mg/m3

Sulfuric acid

ACGIH Threshold Limit Value (TWA) 0.2 mg/m3

Australia STEL 3 mg/m3

Australia TWA 1 mg/m3

Austria OEL - MAKs 0.1 mg/m3 1 mg/m3

Belgium OEL - TWA 1 mg/m3

Revision date: 29-May-2014

Bulgaria OEL - TWA 0.05 mg/m3

Cyprus OEL - TWA 0.05 mg/m3

Czech Republic OEL - TWA 1 mg/m3 0.05 mg/m3

Denmark OEL - TWA 0.05 mg/m3

Estonia OEL - TWA 0.05 mg/m3

Finland OEL - TWA 0.05 mg/m3

France OEL – TWA 0.05 mg/m3

Hoof Master (Drum)

Germany - TRGS 900 - TWAs 0.1 mg/m3

Germany (DFG) – MAK 0.1 mg/m3

Greece OEL - TWA 0.05 mg/m3

Hungary OEL - TWA 0.05 mg/m3

Ireland OEL - TWAs 1 mg/m3

Japan - OELs - Ceilings 1 mg/m3

Latvia OEL - TWA 0.05 mg/m3

Lithuania OEL - TWA 0.05 mg/m3

Luxembourg OEL - TWA 0.05 mg/m3

Malta OEL - TWA 0.05 mg/m3

Netherlands OEL - TWA 0.05 mg/m3

Vietnam OEL - TWAs 1 mg/m3

OSHA - Final PELS - TWAs: 1 mg/m3

Poland OEL - TWA 1 mg/m3 0.05 mg/m3

Portugal OEL - TWA 0.2 mg/m3

Romania OEL - TWA 0.05 mg/m3

Slovakia OEL - TWA 0.1 mg/m3

Slovenia OEL - TWA 0.05 mg/m3

Spain OEL - TWA 0.05 mg/m3

Sweden OEL - TWAs 0.1 mg/m3

Switzerland OEL -TWAs 0.1 mg/m3

Inorganic salt

Latvia OEL - TWA 10 mg/m₃ Ireland OEL - TWAs 1 mg/m₃ Lithuania OEL - TWA 10 mg/m₃

Exposure Controls

Engineering measures : Engineering controls should be used as the primary means to

control exposures. Keep airborne contamination levels below the

exposure limits listed above in this section. General

room ventilation is adequate unless the process generates dust,

mist or fumes.

Personal protective equipment Refer to applicable national standards and regulations in the

selection and use of personal protective equipment (PPE).

Eye protection : Safety goggles / face protection

Hand protection Wear impervious gloves if skin contact is possible.

Skin protection : Wear impervious protective clothing to prevent skin contact.

Respiratory protection : When workers are facing concentrations above the exposure limit

they must use appropriate certified respirators.

Hoof Master (Drum)

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use.

Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing

of the eyes and body in case of contact or splash hazard.

Section 9. Physical and Chemical Properties

Appearance : Liquid

Color : Clear, Blue

Odor : None

pH : < 0.5, 100%

Flash point : Not applicable

Odor Threshold : No data available

Melting point/freezing point : -18°C

Initial boiling point and boiling

range

>116°C

Evaporation Rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Specific Gravity

: 1.32 @ 25C/77F

Water solubility : Soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto ignition temperature : No data available

Thermal decomposition : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Molecular weight : No data available

VOC : No data available

Hoof Master (Drum)

Section 10. Stability and Reactivity

Chemical stability

Possibility of Hazardous Reactions

Stable under normal conditions.

Oxidizing Properties: Oxidizer

Conditions to Avoid: Keep away from excessive heat and flames.

Alkalies Strong caustics

Incompatible Materials: Metals Strong alkalis Reducing agents

Hazardous Decomposition

Products: Thermal decomposition can lead to release of irritating gases and vapors. Thermal decomposition products may include oxides of

sulfur Copper oxides

Section 11. Toxicological Information

Irritation / Sensitization: (Study Type, Species, Severity)

Sulfuric acid

Eye Irritation Severe Skin Irritation Severe

Carcinogen Status: Exposure to strong inorganic mists containing sulfuric acid may cause cancer by inhalation See below

Sulfuric acid

IARC: Group 1 (Carcinogenic to Humans)

OSHA: Listed

Product Level Toxicity Data

Acute Toxicity Estimate (ATE),

Oral ca. 1200 mg/kg

Section 12. Ecological Information

Environmental Overview: The environmental characteristics of this material have not been fully evaluated.

Releases to

the environment should be avoided.

Toxicity:

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

Sulfuric acid

Daphnia magna (Water Flea) EC50 24 Hours 29 mg/L Brachydanio rerio (Zebra fish) LC50 96 Hours > 500 mg/L

Copper Sulfate, Pentahydrate

Lepomis macrochirus (Bluegill Sunfish) LC50 96 Hours 0.66 - 1.8 mg/L

Daphnia magna (Water Flea) EC50 48 Hours 0.147 - 0.227 mg/L

Persistence and degradability : No data available

Bioaccumulative potential : No data available

Hoof Master (Drum)

Mobility in soil: No data availableOther adverse effects: No data available

Section 13. Disposal Considerations

Waste Treatment : Waste may be classified as hazardous due to the

ph/corrosivity. Dispose of waste in accordance with all applicable laws and regulations. Member State specific and

Community specific provisions must be considered.

Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This

may include

destructive techniques for waste and wastewater.

Section 14. Transport Information

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 3264

Description of the goods : corrosive liquid, acidic, inorganic, n o.s.

Class : 8 Packing group : III

Environmentally hazardous : (contains cupric sulfate, pentahydrate)

For small quantities packed in combination packaging, exceptions may apply. The marine pollutant information is necessary only for non-bulk shipments by vessel (IMDG), or for bulk shipments in any mode of transport. Please refer to the applicable dangerous goods regulations for additional information.

Section 15. Regulatory Information

Hoof Master (Drum)

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications WHMIS hazard class:

Class F

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all of the information

required by the CPR



Copper Sulfate, Pentahydrate

CERCLA/SARA 313 Emission reporting Not Listed

California Proposition 65 Not Listed Australia (AICS): Present EU EINECS/ELINCS List Not Listed

Sulfuric acid

CERCLA/SARA 313 Emission reporting 1.0%

CERCLA/SARA Hazardous Substances 1000 lb.

and their Reportable Quantities: 454 kg

CERCLA/SARA - Section 302 Extremely Hazardous TPQs 1000 lb.

CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs 1000 lb.

California Proposition 65 carcinogen initial date 3/14/03

Inventory - United States TSCA - Sect. 8(b) Present

REACH - Annex IV - Exemptions from the obligations of Register: Present

CERCLA/SARA 313 Emission reporting

EU EINECS/ELINCS List 231-791-2

Australia (AICS): Present

Standard for the Uniform Scheduling for Drugs and Poisons: Schedule 6

EU EINECS/ELINCS List 231-639-5

Inorganic salt

CERCLA/SARA 313 Emission reporting Not Listed California Proposition 65 Not Listed Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present EU EINECS/ELINCS List 231-820-9

Water

CERCLA/SARA 313 Emission reporting Not Listed
California Proposition 65 carcinogen initial date 3/14/03
California Proposition 65 Not Listed
Inventory - United States TSCA - Sect. 8(b) Present
Australia (AICS): Present
Inventory - United States TSCA - Sect. 8(b) Present

REACH - Annex IV - Exemptions from the obligations of Register: Present CERCLA/SARA 313 Emission reporting EU EINECS/ELINCS List 231-791-2

Hoof Master (Drum)

Section 16. Other Information

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Skin corrosion/irritation-Cat.1A; H314 - Causes severe skin burns and eye damage

Acute toxicity, oral-Cat.4; H302 - Harmful if swallowed

Skin corrosion/irritation-Cat.2; H315 - Causes skin irritation

Serious eye damage/eye irritation-Cat.2A; H319 - Causes serious eye irritation

Hazardous to the aquatic environment, acute toxicity-Cat.1; H400 - Very toxic to aquatic

ife

Hazardous to the aquatic environment, chronic toxicity-Cat.1; H410 - Very toxic to aquatic

life with long lasting effects

Xn - Harmful

Xi - Irritant

N - Dangerous for the environment

C - Corrosive

R22 - Harmful if swallowed.

R35 - Causes severe burns.

R36/38 - Irritating to eyes and skin.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Issuing date : 2/5/2020

Version : 1 Prepared by : RJD

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.