

Lely Astri L

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name

Lely Astri L

Other means of identification :

Not applicable.

Recommended use

Cleaning product

Restrictions on use

Reserved for industrial and professional use.

Product dilution information

0.2 % - 0.5 %

Company

Ecolab Co.

5105 Tomken Road

Mississauga, Ontario Canada L4W 2X5

1-800-352-5326

Emergency health

information

1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date

12/14/2022

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Product AS SOLD

Oxidizing liquids

: Category 3

Corrosive to metals

: Category 1 : Category 4

Acute toxicity (Oral) Skin corrosion

: Category 1A

Serious eye damage

: Category 1

Specific target organ toxicity - : Category 3 (Respiratory system)

single exposure

Product AT USE DILUTION

Skin corrosion

Category 1A

Serious eye damage

Category 1

GHS Label element

Product AS SOLD

Hazard pictograms



Signal Word

Danger

Hazard Statements

May intensify fire; oxidiser. May be corrosive to metals.

Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause respiratory irritation.

Precautionary Statements

Prevention:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from clothing and other

combustible materials. Keep only in original packaging. Avoid breathing mist or vapours. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. Absorb spillage to prevent material damage.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Product AT USE DILUTION

Hazard pictograms



Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage.

Precautionary Statements

Prevention:

Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep

comfortable for breathing. Immediately call a POISON

CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Product AS SOLD Other hazards

: Do not mix with bleach or other chlorinated products - will cause chlorine gas.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product AS SOLD

Pure substance/mixture

Mixture

Lely Astri L

Chemical Name

Hydrogen peroxide Acetic acid Peracetic acid

CAS-No. 7722-84-1 Concentration: (%)

10 - 30 5 - 10

64-19-7 79-21-0

5 - 10

Product AT USE DILUTION

No hazardous ingredients

Section: 4. FIRST AID MEASURES

Product AS SOLD

In case of eye contact

: Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

Wash off immediately with plenty of water for at least 15 minutes. In case of skin contact

Wash clothing before reuse. Thoroughly clean shoes before reuse.

Get medical attention immediately.

If swallowed Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

: Remove to fresh air. Treat symptomatically. Get medical attention if If inhaled

symptoms occur.

: If potential for exposure exists refer to Section 8 for specific personal Protection of first-aiders

protective equipment.

: Treat symptomatically. Notes to physician

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

Product AT USE DILUTION

In case of eye contact

Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

: Wash off immediately with plenty of water for at least 15 minutes. In case of skin contact

Wash clothing before reuse. Thoroughly clean shoes before reuse.

Get medical attention immediately.

: Rinse mouth with water. Do NOT induce vomiting. Never give If swallowed

anything by mouth to an unconscious person. Get medical attention

immediately.

Remove to fresh air. Treat symptomatically. Get medical attention if If inhaled

symptoms occur.

Section: 5. FIREFIGHTING MEASURES

Product AS SOLD

Suitable extinguishing media : Water

: Foam

Unsuitable extinguishing

media

Carbon dioxide (CO2)

Dry chemical

Specific hazards during firefighting

Special protective equipment for firefighters

Oxidizer. Contact with other material may cause fire.

On decomposition, releases oxygen which may intensify fire.
Oxidizer; material is an oxidizer which may readily react with other

materials, especially upon heating.

In case of a fire, if it is possible without risk, remove all containers exposed to the fire and store them in a safe place, away from any

source of heat.

Cool closed containers exposed to fire with water spray.

Hazardous combustion products

: Decomposition products may include the following materials:

Carbon oxides

Special protective equipment and precautions for firefighters

: In case of fire, wear a full face positive-pressure self contained

breathing apparatus and protective suit.

Specific extinguishing methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

Risk of explosion.

: Not available.

Section: 6. ACCIDENTAL RELEASE MEASURES

Product AS SOLD

Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Move all flammable sources out of danger and keep them away from the scene. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

Do not allow contact with soil, surface or ground water. DO NOT hermetically seal any defective containers, including drums (risk of bursting due to the decomposition of the product)

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Isolate the waste do not allow it to come into contact with incompatible materials. For small spills contain with sand or vermiculite and dilute the contained product at least 10 times with water. Transfer to an open topped container and remove to a safe place for neutralization* / disposal. For large spills contain spill and evacuate the area, leave until the reaction subsides, then collect up for disposal. Obtain consent from the local water company / authority if considering discharge to sewer. *NEUTRALIZATION: once diluted, neutralize with a suitable alkali such as sodium bicarbonate. Combustible materials exposed to this product should be rinsed immediately with large amounts of water to ensure that all product is removed. Residual product which is allowed to dry on organic materials such as rags, cloths, paper, fabrics, cotton, leather, wood, or other combustibles may spontaneously ignite and result in a fire.

Product AT USE DILUTION

Personal precautions, protective equipment and

Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes.

emergency procedures When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures

listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain

material to ensure runoff does not reach a waterway.

Section: 7. HANDLING AND STORAGE

Product AS SOLD

Advice on safe handling

: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage

Do not store on wooden pallets. Keep in a cool, well-ventilated place. Keep away from reducing agents. Keep away from strong bases. Keep away from combustible material. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers. Pressure bursts may occur due to gas evolution if the container is not adequately vented. Do not hermetically seal the container. Always transport and store the containers upright. Risk of overpressure and bursting in the event of decomposition in closed containers and in pipes.

Storage temperature

: 0 °C to 40 °C

Product AT USE DILUTION

Advice on safe handling

: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage

: Keep out of reach of children. Store in suitable labeled containers.

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Hydrogen peroxide	7722-84-1	TWA	1 ppm 1.4 mg/m3	CAD AB OEL
	, N + 1	TWA	1 ppm	CAD BC OEL
		VME	1 ppm	OEL (QUE)
Hydrogen peroxide	7722-84-1	TWA	1 ppm	ACGIH
		TWA	1 ppm	NIOSH REL

			1.4 mg/m3	
		TWA	1 ppm 1.4 mg/m3	OSHA Z-1
		TWA	1 ppm 1.4 mg/m3	OSHA P0
	4 A 2 C C C C C C C C C C C C C C C C C C	PEL	1 ppm 1.4 mg/m3 (H2O2)	
Acetic acid	64-19-7	TWA	10 ppm 25 mg/m3	CAD AB OEL
		STEL	15 ppm 37 mg/m3	CAD AB OEL
		TWA	10 ppm	CAD BC OEL
		STEL	15 ppm	CAD BC OEL
		VME	10 ppm 25 mg/m3	OEL (QUE)
		STEV	15 ppm 37 mg/m3	OEL (QUE)
Acetic acid	64-19-7	TWA	10 ppm	ACGIH
		STEL	15 ppm	ACGIH
		ST	15 ppm 37 mg/m3	NIOSH REL
		TWA	10 ppm 25 mg/m3	NIOSH REL
		TWA	10 ppm 25 mg/m3	OSHA Z-1
		TWA	10 ppm 25 mg/m3	OSHA P0
		PEL	10 ppm 25 mg/m3	
		С	40 ppm	
		STEL	15 ppm 37 mg/m3	
Peracetic acid	79-21-0	STEL	0.4 ppm	ACGIH

Engineering measures

: Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection

: Wear eye protection/face protection.

Hand protection

: Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection

: Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection

: When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures

: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

Product AT USE DILUTION

Engineering measures

Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection

: Wear eye protection/face protection.

Hand protection

Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection

Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection

When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Product AS SOLD Product AT USE DILUTION

Appearance

: liquid

liquid

Colour

clear, colourless

colourless

Odour

pungent

pungent

рН

2.0, (100 %)

1.5 - 3.5

Flash point

Not applicable., Does not sustain combustion.

Odour Threshold

no data available

Melting point/freezing point

no data available

Initial boiling point and

> 100 °C

boiling range

Evaporation rate

: no data available

Flammability (solid, gas)

: Not applicable.

Upper explosion limit

: no data available

Lower explosion limit

no data available

ماطحانمين منجاء

Vapour pressure

: no data available

Relative vapour density

no data available

Relative density
Water solubility

1.08 - 1.16

Solubility in other solvents

soluble

Partition coefficient: n-

: no data available

a atomol/water

no data available

octanol/water

: no data available

Auto-ignition temperature
Thermal decomposition

: no data available

Viscosity, kinematic

no data available

Explosive properties

no data available

Oxidizing properties

Yes

Lely Astri L

Molecular weight

: no data available

VOC

no data available

Section: 10. STABILITY AND REACTIVITY

Product AS SOLD

Reactivity

Decomposes on heating. Potential for exothermic hazard.

Chemical stability

Decomposes on heating.

Contamination may result in dangerous pressure increases - closed

containers may rupture.

Possibility of hazardous

reactions

: Do not mix with bleach or other chlorinated products - will cause

chlorine gas.

Conditions to avoid

Direct sources of heat. Exposure to sunlight.

Incompatible materials

: Metals

Reducing agents Flammable materials

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be produced

such as:

Carbon oxides

Section: 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

Potential Health Effects

Product AS SOLD

Eyes

: Causes serious eye damage.

Skin

: Causes severe skin burns.

Ingestion

Harmful if swallowed. Causes digestive tract burns.

Inhalation

May cause respiratory tract irritation. May cause nose, throat, and

lung irritation.

Chronic Exposure

: Health injuries are not known or expected under normal use.

Product AT USE DILUTION

Eyes

: Causes serious eye damage.

Skin

Causes severe skin burns.

Ingestion

; Causes digestive tract burns.

Inhalation

May cause nose, throat, and lung irritation.

Chronic Exposure

: Health injuries are not known or expected under normal use.

Experience with human exposure

Lely Astri L

Product AS SOLD

Redness, Pain, Corrosion Eye contact

Redness, Pain, Corrosion Skin contact

Corrosion, Abdominal pain Ingestion

Respiratory irritation, Cough Inhalation

Product AT USE DILUTION

Eye contact : Redness, Pain, Corrosion

Redness, Pain, Corrosion Skin contact

Corrosion, Abdominal pain Ingestion

Respiratory irritation, Cough Inhalation

Toxicity

Product AS SOLD Product

Acute oral toxicity

: Acute toxicity estimate: 1,599 mg/kg

Acute inhalation toxicity

: 4 h Acute toxicity estimate : > 5 mg/l

Test atmosphere: dust/mist

: Acute toxicity estimate : > 2,000 mg/kg Acute dermal toxicity

Skin corrosion/irritation no data available

no data available Serious eye damage/eye

irritation

Respiratory or skin : no data available

sensitization

no data available

: no data available Carcinogenicity

Reproductive effects no data available no data available Germ cell mutagenicity

no data available Teratogenicity

no data available STOT - repeated exposure

: no data available Aspiration toxicity

Section: 12. ECOLOGICAL INFORMATION

Toxicity

Product AS SOLD

STOT - single exposure

: Toxic to aquatic life. Harmful to aquatic life with long lasting effects. **Environmental Effects**

Product AT USE DILUTION

: This product has no known ecotoxicological effects. Environmental Effects

Product AS SOLD Product

Toxicity to fish : no data available

Lely Astri L

Toxicity to daphnia and other

: no data available

aquatic invertebrates

: no data available

Toxicity to algae

Components
Toxicity to fish

Hydrogen peroxide

96 h LC50 Pimephales promelas (fathead minnow): 16.4 mg/l

Acetic acid

96 h LC50 Oncorhynchus mykiss (rainbow trout): > 1,000 mg/l

Peracetic acid 96 h LC50: 0.8 mg/l

Components

Toxicity to daphnia and other

aquatic invertebrates

: Acetic acid

48 h EC50 Daphnia magna (Water flea): 39.6 mg/l

Peracetic acid

48 h EC50: 0.73 mg/l

Components

Toxicity to algae

Hydrogen peroxide

72 h EC50 Skeletonema costatum (marine diatom): 1.38 mg/l

Acetic acid

72 h EC50 Skeletonema costatum (marine diatom): > 1,000 mg/l

Peracetic acid 72 h EC50: 0.7 mg/l

Persistence and degradability

Product AT USE DILUTION

Readily biodegradable.

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Product AS SOLD

Disposal methods

: Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or

incineration. If recycling is not practicable, dispose of

contents/container in accordance with local regulations Dispose of

wastes in an approved waste disposal facility.

Disposal considerations

Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

Product AT USE DILUTION

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of contents/container in

accordance with local regulations Dispose of wastes in an approved

waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

Section: 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (TDG)

UN number : 3109

Description of the goods : ORGANIC PEROXIDE TYPE F, LIQUID

(Peroxyacetic acid, type F, stabilized)

Class : 5.2 (8)

Packing group : II

Environmentally hazardous : No

Sea transport (IMDG/IMO)

UN number : 3109

Proper shipping name : ORGANIC PEROXIDE TYPE F, LIQUID

(Peroxyacetic acid, type F, stabilized)

Class : 5.2 (8)

Marine pollutant : No

Section: 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

NPRI Components : Peracetic acid

The components of this product are reported in the following inventories:

United States TSCA Inventory:

All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL.

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS):

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand : not determined

Japan, ENCS - Existing and New Chemical Substances Inventory:

On the inventory, or in compliance with the inventory

Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

China Inventory of Existing Chemical Substances:

On the inventory, or in compliance with the inventory


Taiwan Chemical Substance Inventory :

On the inventory, or in compliance with the inventory

Section: 16. OTHER INFORMATION

Product AS SOLD

NFPA:




HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	1

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Product AT USE DILUTION



HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Issuing date Version

12/14/2022

1.1

Prepared by

: Regulatory Affairs 1-800-352-5326

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

Lely Astri L

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

	to (4) m - 6 (4) the collection for the collection of the collecti
	ent (Edward Assented Journal of Assented Journ
	CACATTI (west and in the cacatte and an analysis of the cacatt
	edulinideoideoideoideoideoideoideoideoideoideo
	allah katang terakan dapan kecantan
	ant retire to the retire to
	and the state of t